

## ARTICLE LIST FRONT SPRINGS

| Article number:               | Strength: | Fits:            |
|-------------------------------|-----------|------------------|
| MX 29,5-370-2,4N <sup>*</sup> | 2,4 N/mm  | KTM              |
| MX 29,5-370-2,6N <sup>*</sup> | 2,6 N/mm  | - SX65 2012–2016 |
| MX 29,5-370-2,8N <sup>*</sup> | 2,8 N/mm  |                  |
| MX 29,5-370-3,0N <sup>*</sup> | 3,0 N/mm  |                  |
| MX 29,5-370-3,2N <sup>*</sup> | 3,2 N/mm  |                  |

| Article number:             | Strength: | Fits:            |
|-----------------------------|-----------|------------------|
| MX 38-425-2,4N <sup>*</sup> | 2,4 N/mm  | KTM              |
| MX 38-425-2,6N <sup>*</sup> | 2,6 N/mm  | - SX85 2004–2017 |
| MX 38-425-2,8N <sup>*</sup> | 2,8 N/mm  | Husqvarna        |
| MX 38-425-3,0N <sup>*</sup> | 3,0 N/mm  | - TC85 2014–2017 |
| MX 38-425-3,2N <sup>*</sup> | 3,2 N/mm  |                  |
| MX 38-425-3,4N <sup>*</sup> | 3,4 N/mm  |                  |
| MX 38-425-3,6N <sup>*</sup> | 3,6 N/mm  |                  |
| MX 38-425-3,8N              | 3,8 N/mm  |                  |

| Article number:  | Strength: | Fits:            |
|------------------|-----------|------------------|
| MX 43,8-465-3,6N | 3,6 N/mm  | KTM all Six Days |
| MX 43,8-465-3,8N | 3,8 N/mm  | - EXC 2013–2017  |
| MX 43,8-465-4,0N | 4,0 N/mm  | - EXCF 2013–2017 |
| MX 43,8-465-4,2N | 4,2 N/mm  | Husaberg         |
| MX 43,8-465-4,4N | 4,4 N/mm  | - TE 2013–2014   |
| MX 43,8-465-4,6N | 4,6 N/mm  | - FE 2013–2014   |
| MX 43,8-465-4,8N | 4,8 N/mm  |                  |
| MX 43,8-465-5,0N | 5,0 N/mm  |                  |
| MX 43,8-465-5,2N | 5,2 N/mm  |                  |
| MX 43,8-465-5,4N | 5,4 N/mm  |                  |

\*Available on request only (contact us for ordering / minimum quantity applies).

### MX-Springs BV

POSTAL ADDRESS: Buitenweg 238, 3602 ZH Maarssen  
 DELIVERY ADDRESS: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 CoC: 67238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 EMAIL: [info@mx-springs.com](mailto:info@mx-springs.com)

| Article number:  | Strength: | Fits:                              |
|------------------|-----------|------------------------------------|
| MX 43,2-485-3,8N | 3,8 N/mm  | <b>KTM</b>                         |
| MX 43,2-485-4,0N | 4,0 N/mm  | - SX/F models from 125cc 2008–2016 |
| MX 43,2-485-4,2N | 4,2 N/mm  | <b>Husaberg</b>                    |
| MX 43,2-485-4,4N | 4,4 N/mm  | - all WP closed cartridge fork     |
| MX 43,2-485-4,6N | 4,6 N/mm  | <b>Yamaha</b>                      |
| MX 43,2-485-4,8N | 4,8 N/mm  | - YZF125/250                       |
| MX 43,2-485-5,0N | 5,0 N/mm  | - YZF250/450 2004                  |
| MX 43,2-485-5,2N | 5,2 N/mm  | - WP cone valve fork               |
| MX 43,2-485-5,4N | 5,4 N/mm  |                                    |
| MX 43,2-485-5,6N | 5,6 N/mm  |                                    |
| MX 43,2-485-5,8N | 5,8 N/mm  |                                    |

| Article number:    | Strength: | Fits:                        |
|--------------------|-----------|------------------------------|
| MX 43,2-505-3,8N * | 3,8 N/mm  | <b>KTM</b>                   |
| MX 43,2-505-4,0N * | 4,0 N/mm  | - SX/F from 125cc 2002–2006  |
| MX 43,2-505-4,2N * | 4,2 N/mm  | - EXC/F from 125cc ≥ 2003    |
| MX 43,2-505-4,4N   | 4,4 N/mm  | <b>Husaberg</b>              |
| MX 43,2-505-4,6N   | 4,6 N/mm  | - all WP open cartridge fork |
| MX 43,2-505-4,8N   | 4,8 N/mm  |                              |
| MX 43,2-505-5,0N   | 5,0 N/mm  |                              |
| MX 43,2-505-5,2N   | 5,2 N/mm  |                              |

\*Available on request only (contact us for ordering / minimum quantity applies).

## MX-Springs BV

POSTAL ADDRESS: Buitenweg 238, 3602 ZH Maarssen  
 DELIVERY ADDRESS: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 CoC: 67238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 EMAIL: [info@mx-springs.com](mailto:info@mx-springs.com)

| Article number:               | Strength: | Fits:                                                         |
|-------------------------------|-----------|---------------------------------------------------------------|
| MX 43,5-460-3,8N <sup>*</sup> | 3,8 N/mm  | <b>Honda</b>                                                  |
| MX 43,5-460-4,0N              | 4,0 N/mm  | - CRF250 2010–2014                                            |
| MX 43,5-460-4,2N              | 4,2 N/mm  | - CRF450 2009–2012                                            |
| MX 43,5-460-4,4N              | 4,4 N/mm  | <b>Kawasaki</b>                                               |
| MX 43,5-460-4,6N              | 4,6 N/mm  | - KX125 2003–2009                                             |
| MX 43,5-460-4,8N              | 4,8 N/mm  | - KX250 2003–2005                                             |
| MX 43,5-460-5,0N              | 5,0 N/mm  | - KXF250 2004–2005                                            |
| MX 43,5-460-5,2N              | 5,2 N/mm  | - KLX450 2007–2010                                            |
|                               |           | <b>Suzuki</b>                                                 |
|                               |           | - RMZ250 2004–2006                                            |
|                               |           | <b>Yamaha</b>                                                 |
|                               |           | - WR250F ≥ 2005                                               |
|                               |           | - WR450F 2005–2011                                            |
|                               |           | <b>Beta</b> - RR125/200/250/300/350<br>/390/430/480 2013–2024 |

\*Available on request only (contact us for ordering / minimum quantity applies).

## MX-Springs BV

POSTAL ADDRESS: Buitenweg 238, 3602 ZH Maarssen  
 DELIVERY ADDRESS: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 CoC: 67238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 EMAIL: [info@mx-springs.com](mailto:info@mx-springs.com)

| Article number:   | Strength: | Fits:                 |
|-------------------|-----------|-----------------------|
| MX 42,75-495-3,8N | 3,8 N/mm  | <b>Honda</b>          |
| MX 42,75-495-4,0N | 4,0 N/mm  | - CR250 1997–2008     |
| MX 42,75-495-4,2N | 4,2 N/mm  | - CRF250 2001–2009    |
| MX 42,75-495-4,4N | 4,4 N/mm  | - CRF450 2002–2008    |
| MX 42,75-495-4,6N | 4,6 N/mm  | <b>Kawasaki</b>       |
| MX 42,75-495-4,8N | 4,8 N/mm  | - KXF250 2006–2010    |
| MX 42,75-495-5,0N | 5,0 N/mm  | <b>Suzuki</b>         |
| MX 42,75-495-5,2N | 5,2 N/mm  | - RM125/250 2004–2009 |
|                   |           | - RMZ250 2007–2012    |
|                   |           | - RMZ450 2005–2012    |

| Article number: | Strength: | Fits:                     |
|-----------------|-----------|---------------------------|
| MX 45-472-4,0N  | 4,0 N/mm  | <b>Honda</b>              |
| MX 45-472-4,2N  | 4,2 N/mm  | - CRF250 2018–2024        |
| MX 45-472-4,4N  | 4,4 N/mm  | - CRF250RX 2019-2024      |
| MX 45-472-4,6N  | 4,6 N/mm  | - CRF450 – 40RX 2017–2024 |
| MX 45-472-4,8N  | 4,8 N/mm  | <b>Suzuki</b>             |
| MX 45-472-5,0N  | 5,0 N/mm  | - RMZ450 2018–2025        |
| MX 45-472-5,2N  | 5,2 N/mm  | - RMZ250 2019–2025        |
| MX 45-472-5,4N  | 5,4 N/mm  | <b>Kawasaki</b>           |
| MX 45-472-5,6N  | 5,6 N/mm  | - KXF250 ≥ 2025           |
|                 |           | - KXF450 ≥ 2019           |

| Article number:   | Strength: | Fits:              |
|-------------------|-----------|--------------------|
| MX 43,5-660-8,4N  | 8,4 N/mm  | <b>Kawasaki</b>    |
| MX 43,5-660-8,8N  | 8,8 N/mm  | - KXF250 2013–2019 |
| MX 43,5-660-9,2N  | 9,2 N/mm  | <b>Suzuki</b>      |
| MX 43,5-660-9,6N  | 9,6 N/mm  | - RMZ250 2013–2015 |
| MX 43,5-660-10,0N | 10,0 N/mm | - RMZ450 2013–2014 |
| MX 43,5-660-10,4N | 10,4 N/mm |                    |

| Article number: | Strength: | Fits:           |
|-----------------|-----------|-----------------|
| MX 31-430-2,4N  | 2,4 N/mm  | <b>Kawasaki</b> |
| MX 31-430-2,6N  | 2,6 N/mm  | - KX85 ≥ 2000   |
| MX 31-430-2,8N  | 2,8 N/mm  | <b>Yamaha</b>   |
| MX 31-430-3,0N  | 3,0 N/mm  | - YZ85 ≥ 2000   |
| MX 31-430-3,2N  | 3,2 N/mm  |                 |
| MX 31-430-3,4N  | 3,4 N/mm  |                 |
| MX 31-430-3,6N  | 3,6 N/mm  |                 |

## MX-Springs BV

POSTAL ADDRESS: Buitenweg 238, 3602 ZH Maarssen  
 DELIVERY ADDRESS: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 CoC: 67238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 EMAIL: [info@mx-springs.com](mailto:info@mx-springs.com)

| Article number:   | Strength: | Fits:                            |
|-------------------|-----------|----------------------------------|
| MX 43,85-455-3,6N | 3,6 N/mm  | <b>KTM</b>                       |
| MX 43,85-455-3,8N | 3,8 N/mm  | - SX/F from 125cc 2007–2008      |
| MX 43,85-455-4,0N | 4,0 N/mm  | <b>Yamaha</b>                    |
| MX 43,85-455-4,2N | 4,2 N/mm  | - YZ125/250/250F 2006–2013       |
| MX 43,85-455-4,4N | 4,4 N/mm  | - YZF450 2006–2009               |
| MX 43,85-455-4,6N | 4,6 N/mm  | - WR450F ≥ 2012                  |
| MX 43,85-455-4,8N | 4,8 N/mm  | <b>Husqvarna</b>                 |
| MX 43,85-455-5,0N | 5,0 N/mm  | - CR/TCTCX 125–511 2010–2013     |
| MX 43,85-455-5,2N | 5,2 N/mm  | <b>Fantic</b>                    |
|                   |           | - XX 125/250 2020–2021           |
|                   |           | <b>Beta</b>                      |
|                   |           | - RR125/200/250/300 2T 2020–2022 |

| Article number:               | Strength: | Fits:                                  |
|-------------------------------|-----------|----------------------------------------|
| MX 43,5-470-3,8N              | 3,8 N/mm  | <b>Kawasaki</b>                        |
| MX 43,5-470-4,0N              | 4,0 N/mm  | - KX250 2005–2009                      |
| MX 43,5-470-4,2N              | 4,2 N/mm  | - KXF450 2007–2012                     |
| MX 43,5-470-4,4N              | 4,4 N/mm  | <b>Yamaha</b>                          |
| MX 43,5-470-4,6N              | 4,6 N/mm  | - YZ125/250 2005                       |
| MX 43,5-470-4,8N              | 4,8 N/mm  | - YZF250/450 2005                      |
| MX 43,5-470-5,0N              | 5,0 N/mm  | - YZ450F 2010–2013                     |
| MX 43,5-470-5,2N              | 5,2 N/mm  | <b>KTM</b>                             |
| MX 43,5-470-5,4N              | 5,4 N/mm  | - EXC enduro ≥ 2017                    |
| MX 43,5-470-5,6N              | 5,6 N/mm  | <b>Beta</b>                            |
| MX 43,5-470-5,8N <sup>*</sup> | 5,8 N/mm  | - RR400 4T 2011–2012                   |
| MX 43,5-470-6,0N              | 6,0 N/mm  | <b>Sherco</b>                          |
|                               |           | - SE-R/SEF-R125/250/300/450/500 ≥ 2019 |
|                               |           | <b>TM</b>                              |
|                               |           | - MX 125/144/250/330/450 ≥ 2013        |

\*Available on request only (contact us for ordering / minimum quantity applies).

## MX-Springs BV

POSTAL ADDRESS: Buitenweg 238, 3602 ZH Maarssen  
 DELIVERY ADDRESS: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 CoC: 67238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 EMAIL: [info@mx-springs.com](mailto:info@mx-springs.com)

| Article number:  | Strength: | Fits:                               |
|------------------|-----------|-------------------------------------|
| MX 43,5-498-3,8N | 3,8 N/mm  | <b>Yamaha</b>                       |
| MX 43,5-498-4,0N | 4,0 N/mm  | - YZF250/450 ≥ 2014                 |
| MX 43,5-498-4,2N | 4,2 N/mm  | Kawasaki                            |
| MX 43,5-498-4,4N | 4,4 N/mm  | - KXF250 ≥ 2020                     |
| MX 43,5-498-4,6N | 4,6 N/mm  | <b>Fantic</b>                       |
| MX 43,5-498-4,8N | 4,8 N/mm  | - XX125/250 ≥ 2022                  |
| MX 43,5-498-5,0N | 5,0 N/mm  | - XEF250/450 ≥ 2020                 |
| MX 43,5-498-5,2N | 5,2 N/mm  | <b>Beta</b>                         |
| MX 43,5-498-5,4N | 5,4 N/mm  | - RR125/200/350/390/430/480<br>2023 |
| MX 43,5-498-5,6N | 5,6 N/mm  | <b>Varg</b>                         |
|                  |           | - MX/EX ≥ 2024                      |
|                  |           | Triumph                             |
|                  |           | - TF250X ≥ 2024                     |
|                  |           | - TF450X ≥ 2025                     |
|                  |           | <b>Rieju</b>                        |
|                  |           | - MR 250/300 ≥ 2023                 |

| Article number: | Strength: | Fits:                      |
|-----------------|-----------|----------------------------|
| MX 45-500-4,0N  | 4,0 N/mm  | <b>Honda</b>               |
| MX 45 500-4,2N  | 4,2 N/mm  | - CRF250R–CRF450R ≥ 2025   |
| MX 45-500-4,4N  | 4,4 N/mm  | - CRF250RX–CRF450RX ≥ 2025 |
| MX 45-500-4,6N  | 4,6 N/mm  |                            |
| MX 45-500-4,8N  | 4,8 N/mm  |                            |
| MX 45-500-5,0N  | 5,0 N/mm  |                            |
| MX 45-500-5,2N  | 5,2 N/mm  |                            |
| MX 45-500-5,4N  | 5,4 N/mm  |                            |
| MX 45-500-5,6N  | 5,6 N/mm  |                            |

## MX-Springs BV

POSTAL ADDRESS: Buitenweg 238, 3602 ZH Maarssen  
 DELIVERY ADDRESS: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 CoC: 67238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 EMAIL: [info@mx-springs.com](mailto:info@mx-springs.com)