

## MX Springs – Shock Absorber Springs

| SKU | GTIN | Strength | Fits |
|-----|------|----------|------|
|-----|------|----------|------|

\*Available on request only (contact us for ordering / minimum quantity applies)

|               |               |         |                     |
|---------------|---------------|---------|---------------------|
| MX 47-190-30N | 8721352920014 | 30 N/mm | <b>GASGAS</b>       |
| MX 47-190-35N | 8721352920021 | 35 N/mm | - MC 65 (≥ 2024)    |
| MX 47-190-40N | 8721352920038 | 40 N/mm | <b>HUSQVARNA</b>    |
| MX 47-190-45N | 8721352920045 | 45 N/mm | - TC 65 (2017-2023) |
| MX 47-190-50N | 8721352920052 | 50 N/mm | <b>KTM</b>          |
| MX 47-190-55N | 8721352920069 | 55 N/mm | - SX 65 (≥ 2024)    |

|                       |                      |                 |                     |
|-----------------------|----------------------|-----------------|---------------------|
| MX 47-210-30N         | 8721352920076        | 30 N/mm         | <b>GASGAS</b>       |
| MX 47-210-35N         | 8721352920083        | 35 N/mm         | - MC 65 (2021-2023) |
| <b>MX 47-210-40N*</b> | <b>8721352920090</b> | <b>40 N/mm*</b> |                     |
| MX 47-210-45N         | 8721352920106        | 45 N/mm         | <b>HUSQVARNA</b>    |
| MX 47-210-50N         | 8721352920113        | 50 N/mm         | - TC 65 (2021-2023) |
|                       |                      |                 | <b>KTM</b>          |
|                       |                      |                 | - SX 65 (2002-2023) |

|               |               |         |                  |
|---------------|---------------|---------|------------------|
| MX 55-205-30N | 8721352920120 | 30 N/mm | <b>YAMAHA</b>    |
| MX 55-205-35N | 8721352920137 | 35 N/mm | - YZ 65 (≥ 2018) |
| MX 55-205-40N | 8721352920144 | 40 N/mm |                  |
| MX 55-205-45N | 8721352920151 | 45 N/mm |                  |
| MX 55-205-50N | 8721352920168 | 50 N/mm |                  |

|                 |               |           |                  |
|-----------------|---------------|-----------|------------------|
| MX 55-220-35N   | 8721352920175 | 35 N/mm   | <b>YAMAHA</b>    |
| MX 55-220-40N   | 8721352920182 | 40 N/mm   | - YZ 85 (≥ 2000) |
| MX 55-220-42,5N | 8721352920199 | 42,5 N/mm |                  |
| MX 55-220-45N   | 8721352920205 | 45 N/mm   |                  |
| MX 55-220-50N   | 8721352920212 | 50 N/mm   |                  |
| MX 55-220-55N   | 8721352920229 | 55 N/mm   |                  |

### MX-Springs BV

POSTADRES: Buitenweg 238, 3602 ZH Maarssen  
 AFLEVERADRES: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 KVK: 97238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 MAIL: [Info@mx-springs.com](mailto:Info@mx-springs.com)

## MX Springs – Shock Absorber Springs

| SKU | GTIN | Strength | Fits |
|-----|------|----------|------|
|-----|------|----------|------|

\*Available on request only (contact us for ordering / minimum quantity applies)

|               |               |         |                   |
|---------------|---------------|---------|-------------------|
| MX 59-220-30N | 8721352920274 | 30 N/mm | <b>GASGAS</b>     |
| MX 59-220-35N | 8721352920281 | 35 N/mm | - MC 85 (≥ 2021)  |
| MX 59-220-40N | 8721352920298 | 40 N/mm | <b>HUSQVARNA</b>  |
| MX 59-220-45N | 8721352920304 | 45 N/mm | - TC 85 (≥ 2014)  |
| MX 59-220-50N | 8721352920311 | 50 N/mm | <b>KTM</b>        |
| MX 59-220-55N | 8721352920328 | 55 N/mm | - SX 105 (≥ 2008) |
| MX 59-220-60N | 8721352920335 | 60 N/mm | - SX 85 (≥ 2004)  |

|                       |                      |                 |                                  |
|-----------------------|----------------------|-----------------|----------------------------------|
| <b>MX 59-225-57N*</b> | <b>8721352920373</b> | <b>57 N/mm*</b> | <b>KTM</b>                       |
| MX 59-225-60N         | 8721352920397        | 60 N/mm         | - EXC 150 (2020-2025)            |
| MX 59-225-63N         | 8721352920410        | 63 N/mm         | - EXC 150 SIX DAYS (2024)        |
| MX 59-225-66N         | 8721352920434        | 66 N/mm         | - EXC 250 (2017-2025)            |
| MX 59-225-69N         | 8721352920458        | 69 N/mm         | - EXC 250 SIX DAYS (2017-2025)   |
| MX 59-225-72N         | 8721352920472        | 72 N/mm         | - EXC 300 (≥ 2017)               |
| MX 59-225-75N         | 8721352920496        | 75 N/mm         | - EXC 300 SIX DAYS (≥ 2017)      |
| MX 59-225-78N         | 8721352920519        | 78 N/mm         | - EXC-F 250 (2017-2025)          |
| MX 59-225-81N         | 8721352920526        | 81 N/mm         | - EXC-F 250 SIX DAYS (2017-2025) |
| MX 59-225-84N         | 8721352920533        | 84 N/mm         | - EXC-F 350 (≥ 2017)             |
| MX 59-225-88N         | 8721352920540        | 88 N/mm         | - EXC-F 350 SIX DAYS (≥ 2017)    |
| MX 59-225-92N         | 8721352920557        | 92 N/mm         | - EXC-F 450 (≥ 2017)             |
|                       |                      |                 | - EXC-F 450 SIX DAYS (≥ 2017)    |
|                       |                      |                 | - EXC-F 500 (≥ 2017)             |
|                       |                      |                 | - EXC-F 500 SIX DAYS (≥ 2017)    |

### MX-Springs BV

POSTADRES: Buitenweg 238, 3602 ZH Maarssen  
 AFLEVERADRES: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 KVK: 97238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 MAIL: [Info@mx-springs.com](mailto:Info@mx-springs.com)

## MX Springs – Shock Absorber Springs

| SKU | GTIN | Strength | Fits |
|-----|------|----------|------|
|-----|------|----------|------|

\*Available on request only (contact us for ordering / minimum quantity applies)

|                     |               |               |                                  |
|---------------------|---------------|---------------|----------------------------------|
| MX 59-225-57-60-63N | 8721352920366 | 57-60-63 N/mm | <b>KTM</b>                       |
| MX 59-225-60-63-66N | 8721352920380 | 60-63-66 N/mm | - EXC 150 (2020-2025)            |
| MX 59-225-63-66-69N | 8721352920403 | 63-66-69 N/mm | - EXC 150 SIX DAYS (2024)        |
| MX 59-225-66-69-72N | 8721352920427 | 66-69-72 N/mm | - EXC 250 (2017-2025)            |
| MX 59-225-69-72-75N | 8721352920441 | 69-72-75 N/mm | - EXC 250 SIX DAYS (2017-2025)   |
| MX 59-225-72-75-78N | 8721352920465 | 72-75-78 N/mm | - EXC 300 (≥ 2017)               |
| MX 59-225-75-78-81N | 8721352920489 | 75-78-81 N/mm | - EXC 300 SIX DAYS (≥ 2017)      |
| MX 59-225-78-81-84N | 8721352920502 | 78-81-84 N/mm | - EXC-F 250 (2017-2025)          |
|                     |               |               | - EXC-F 250 SIX DAYS (2017-2025) |
|                     |               |               | - EXC-F 350 (≥ 2017)             |
|                     |               |               | - EXC-F 350 SIX DAYS (≥ 2017)    |
|                     |               |               | - EXC-F 450 (≥ 2017)             |
|                     |               |               | - EXC-F 450 SIX DAYS (≥ 2017)    |
|                     |               |               | - EXC-F 500 (≥ 2017)             |
|                     |               |               | - EXC-F 500 SIX DAYS (≥ 2017)    |

### MX-Springs BV

POSTADRES: Buitenweg 238, 3602 ZH Maarssen  
 AFLEVERADRES: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 KVK: 97238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 MAIL: [Info@mx-springs.com](mailto:Info@mx-springs.com)

## MX Springs – Shock Absorber Springs

| SKU | GTIN | Strength | Fits |
|-----|------|----------|------|
|-----|------|----------|------|

\*Available on request only (contact us for ordering / minimum quantity applies)

|                  |               |         |                                |
|------------------|---------------|---------|--------------------------------|
| MX 59-62-270-40N | 8721352920564 | 40 N/mm | <b>BETA</b>                    |
| MX 59-62-270-42N | 8721352920571 | 42 N/mm | - RR 125 2T RACING (≥ 2023)    |
| MX 59-62-270-44N | 8721352920588 | 44 N/mm | - RR 200 2T RACING (≥ 2023)    |
| MX 59-62-270-46N | 8721352920595 | 46 N/mm | - RR 250 2T RACING (≥ 2023)    |
| MX 59-62-270-48N | 8721352920601 | 48 N/mm | - RR 300 2T RACING (≥ 2023)    |
| MX 59-62-270-50N | 8721352920618 | 50 N/mm | - RR 350 4T RACING (≥ 2023)    |
| MX 59-62-270-52N | 8721352920625 | 52 N/mm | - RR 390 4T RACING (≥ 2023)    |
| MX 59-62-270-54N | 8721352920632 | 54 N/mm | - RR 400 4T RACING (2011-2012) |
| MX 59-62-270-56N | 8721352920649 | 56 N/mm | - RR 430 4T RACING (≥ 2023)    |
| MX 59-62-270-58N | 8721352920656 | 58 N/mm | - RR 480 4T RACING (≥ 2023)    |
| MX 59-62-270-60N | 8721352920663 | 60 N/mm | - RX 300 2T (2023-2024)        |
| MX 59-62-270-62N | 8721352920670 | 62 N/mm | <b>HONDA</b>                   |
|                  |               |         | - CR 125R (2000-2007)          |
|                  |               |         | <b>YAMAHA</b>                  |
|                  |               |         | - WR 250F (2005-2014)          |
|                  |               |         | - WR 450F (2003-2015)          |
|                  |               |         | - YZ 125 (≥ 2005)              |
|                  |               |         | - YZ 250 (≥ 2005)              |
|                  |               |         | - YZF 250 (2005-2013)          |
|                  |               |         | - YZF 450 (2004-2009)          |

### MX-Springs BV

POSTADRES: Buitenweg 238, 3602 ZH Maarssen  
 AFLEVERADRES: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 KVK: 97238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 MAIL: [Info@mx-springs.com](mailto:Info@mx-springs.com)

## MX Springs – Shock Absorber Springs

| SKU | GTIN | Strength | Fits |
|-----|------|----------|------|
|-----|------|----------|------|

\*Available on request only (contact us for ordering / minimum quantity applies)

|               |               |         |                    |
|---------------|---------------|---------|--------------------|
| MX 63-240-32N | 8721352920687 | 32 N/mm | <b>GASGAS</b>      |
| MX 63-240-34N | 8721352920694 | 34 N/mm | - EC 250 (≥ 2024)  |
| MX 63-240-36N | 8721352920700 | 36 N/mm | - EC 250F (≥ 2024) |
| MX 63-240-38N | 8721352920717 | 38 N/mm | - EC 300 (≥ 2024)  |
| MX 63-240-40N | 8721352920724 | 40 N/mm | - EC 350F (≥ 2024) |
| MX 63-240-42N | 8721352920731 | 42 N/mm | - EC 450F (≥ 2024) |
| MX 63-240-44N | 8721352920748 | 44 N/mm | - MC 125 (≥ 2024)  |
| MX 63-240-46N | 8721352920755 | 46 N/mm | - MC 250 (≥ 2024)  |
| MX 63-240-48N | 8721352920762 | 48 N/mm | - MC 250F (≥ 2024) |
| MX 63-240-50N | 8721352920779 | 50 N/mm | - MC 350F (≥ 2024) |
| MX 63-240-52N | 8721352920786 | 52 N/mm | - MC 450F (≥ 2024) |
| MX 63-240-54N | 8721352920793 | 54 N/mm | <b>HUSQVARNA</b>   |
| MX 63-240-56N | 8721352920809 | 56 N/mm | - FC 250 (≥ 2023)  |
| MX 63-240-58N | 8721352920816 | 58 N/mm | - FC 350 (≥ 2023)  |
| MX 63-240-60N | 8721352920823 | 60 N/mm | - FC 450 (≥ 2023)  |
| MX 63-240-62N | 8721352920830 | 62 N/mm | - FE 250 (≥ 2024)  |
|               |               |         | - FE 350 (≥ 2024)  |
|               |               |         | - FE 450 (≥ 2024)  |
|               |               |         | - FE 501 (≥ 2024)  |
|               |               |         | - TC 125 (≥ 2023)  |
|               |               |         | - TC 250 (≥ 2023)  |
|               |               |         | - TE 125 (≥ 2024)  |
|               |               |         | - TE 250 (≥ 2024)  |
|               |               |         | - TE 300 (≥ 2024)  |

### MX-Springs BV

POSTADRES: Buitenweg 238, 3602 ZH Maarssen  
 AFLEVERADRES: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 KVK: 97238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 MAIL: [Info@mx-springs.com](mailto:Info@mx-springs.com)

## MX Springs – Shock Absorber Springs

| SKU | GTIN | Strength | Fits |
|-----|------|----------|------|
|-----|------|----------|------|

\*Available on request only (contact us for ordering / minimum quantity applies)

|           |  |  |                     |
|-----------|--|--|---------------------|
| MX 63-240 |  |  | <b>KTM</b>          |
|           |  |  | - SX 125 (≥ 2023)   |
|           |  |  | - SX 250 (≥ 2023)   |
|           |  |  | - SX 300 (≥ 2023)   |
|           |  |  | - SX-F 250 (≥ 2023) |
|           |  |  | - SX-F 350 (≥ 2023) |
|           |  |  | - SX-F 450 (≥ 2023) |

### MX-Springs BV

POSTADRES: Buitenweg 238, 3602 ZH Maarssen  
AFLEVERADRES: Herenweg 21C, 3602 AM Maarssen  
WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
KVK: 97238759  
BTW: NL867964169B01

CONTACT: Arno Broekman  
TEL: +31654331031  
MAIL: [Info@mx-springs.com](mailto:Info@mx-springs.com)

## MX Springs – Shock Absorber Springs

| SKU | GTIN | Strength | Fits |
|-----|------|----------|------|
|-----|------|----------|------|

\*Available on request only (contact us for ordering / minimum quantity applies)

|               |               |         |                         |
|---------------|---------------|---------|-------------------------|
| MX 63-250-63N | 8721352920847 | 63 N/mm | <b>HUSABERG</b>         |
| MX 63-250-66N | 8721352920854 | 66 N/mm | - FE 250 (2013-2014)    |
| MX 63-250-69N | 8721352920861 | 69 N/mm | - FE 350 (2013-2014)    |
| MX 63-250-72N | 8721352920878 | 72 N/mm | - FE 390 (2009-2014)    |
| MX 63-250-76N | 8721352920885 | 76 N/mm | - FE 450 (2009-2014)    |
| MX 63-250-80N | 8721352920892 | 80 N/mm | - FE 501 (2013-2014)    |
| MX 63-250-84N | 8721352920908 | 84 N/mm | - FE 570 (2009-2012)    |
| MX 63-250-88N | 8721352920915 | 88 N/mm | - TE 125 (2011-2014)    |
| MX 63-250-92N | 8721352920922 | 92 N/mm | - TE 250 (2011-2014)    |
|               |               |         | - TE 300 (2011-2014)    |
|               |               |         | <b>KTM</b>              |
|               |               |         | - EXC 125 (2005-2016)   |
|               |               |         | - EXC 200 (2005-2016)   |
|               |               |         | - EXC 250 (2005-2017)   |
|               |               |         | - EXC 300 (2005-2017)   |
|               |               |         | - EXC-F 250 (2006-2018) |
|               |               |         | - EXC-F 350 (2011-2016) |
|               |               |         | - EXC-F 400 (2005-2011) |
|               |               |         | - EXC-F 450 (2005-2016) |
|               |               |         | - EXC-F 500 (2012-2016) |
|               |               |         | - EXC-F 525 (2005-2011) |
|               |               |         | - EXC-F 530 (2005-2011) |
|               |               |         | - SX 125 (2004-2011)    |
|               |               |         | - SX 144 (2004-2008)    |
|               |               |         | - SX 150 (2004-2011)    |
|               |               |         | - SX 250 (2004-2011)    |
|               |               |         | - SX-F 250 (2006-2010)  |
|               |               |         | - SX-F 450 (2004-2010)  |

### MX-Springs BV

POSTADRES: Buitenweg 238, 3602 ZH Maarssen  
 AFLEVERADRES: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 KVK: 97238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 MAIL: [Info@mx-springs.com](mailto:Info@mx-springs.com)

## MX Springs – Shock Absorber Springs

| SKU | GTIN | Strength | Fits |
|-----|------|----------|------|
|-----|------|----------|------|

\*Available on request only (contact us for ordering / minimum quantity applies)

|               |               |         |                       |
|---------------|---------------|---------|-----------------------|
| MX 63-260-32N | 8721352920939 | 32 N/mm | <b>GASGAS</b>         |
| MX 63-260-34N | 8721352920946 | 34 N/mm | - EC 250 (2021-2023)  |
| MX 63-260-36N | 8721352920953 | 36 N/mm | - EC 250F (2021-2023) |
| MX 63-260-38N | 8721352920960 | 38 N/mm | - EC 300 (2021-2023)  |
| MX 63-260-40N | 8721352920977 | 40 N/mm | - EC 350F (2021-2023) |
| MX 63-260-42N | 8721352920984 | 42 N/mm | - EC 450F (2021-2023) |
| MX 63-260-44N | 8721352920991 | 44 N/mm | - MC 125 (2021-2023)  |
| MX 63-260-46N | 8721352921004 | 46 N/mm | - MC 250 (2021-2023)  |
| MX 63-260-48N | 8721352921011 | 48 N/mm | - MC 250F (2021-2023) |
| MX 63-260-50N | 8721352921028 | 50 N/mm | - MC 350F (2021-2023) |
| MX 63-260-52N | 8721352921035 | 52 N/mm | - MC 450F (2021-2023) |
| MX 63-260-54N | 8721352921042 | 54 N/mm | <b>HUSQVARNA</b>      |
| MX 63-260-56N | 8721352921059 | 56 N/mm | - FC 250 (2014-2022)  |
| MX 63-260-58N | 8721352921066 | 58 N/mm | - FC 350 (2014-2022)  |
| MX 63-260-60N | 8721352921073 | 60 N/mm | - FC 450 (2014-2022)  |
| MX 63-260-62N | 8721352921080 | 62 N/mm | - FE 250 (2014-2023)  |
|               |               |         | - FE 350 (2014-2023)  |
|               |               |         | - FE 450 (2014-2023)  |
|               |               |         | - FE 501 (2014-2023)  |
|               |               |         | - TC 125 (2014-2022)  |
|               |               |         | - TC 250 (2014-2022)  |
|               |               |         | - TE 125 (2014-2016)  |
|               |               |         | - TE 150 (2017-2023)  |
|               |               |         | - TE 250 (2014-2023)  |
|               |               |         | - TE 300 (2014-2023)  |
|               |               |         |                       |
|               |               |         |                       |
|               |               |         |                       |
|               |               |         |                       |
|               |               |         |                       |

### MX-Springs BV

POSTADRES: Buitenweg 238, 3602 ZH Maarssen  
 AFLEVERADRES: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 KVK: 97238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 MAIL: [Info@mx-springs.com](mailto:Info@mx-springs.com)

## MX Springs – Shock Absorber Springs

| SKU | GTIN | Strength | Fits |
|-----|------|----------|------|
|-----|------|----------|------|

\*Available on request only (contact us for ordering / minimum quantity applies)

|           |  |  |                        |
|-----------|--|--|------------------------|
| MX 63-260 |  |  | <b>KTM</b>             |
|           |  |  | - SX 125 (2012-2022)   |
|           |  |  | - SX 144 (2007-2008)   |
|           |  |  | - SX 150 (2012-2022)   |
|           |  |  | - SX 250 (2012-2022)   |
|           |  |  | - SX-F 250 (2011-2022) |
|           |  |  | - SX-F 350 (2011-2022) |
|           |  |  | - SX-F 450 (2011-2022) |

### MX-Springs BV

POSTADRES: Buitenweg 238, 3602 ZH Maarssen  
AFLEVERADRES: Herenweg 21C, 3602 AM Maarssen  
WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
KVK: 97238759  
BTW: NL867964169B01

CONTACT: Arno Broekman  
TEL: +31654331031  
MAIL: [Info@mx-springs.com](mailto:Info@mx-springs.com)

## MX Springs – Shock Absorber Springs

| SKU | GTIN | Strength | Fits |
|-----|------|----------|------|
|-----|------|----------|------|

\*Available on request only (contact us for ordering / minimum quantity applies)

|                          |                      |                 |                     |
|--------------------------|----------------------|-----------------|---------------------|
| <b>MX 64-66-240-36N*</b> | <b>8721352921097</b> | <b>36 N/mm*</b> | <b>BETA</b>         |
| <b>MX 64-66-240-38N*</b> | <b>8721352921103</b> | <b>38 N/mm*</b> | - RX 300 (≥ 2025)   |
| MX 64-66-240-40N         | 8721352921110        | 40 N/mm         | - RX 450 (≥ 2023)   |
| <b>MX 64-66-240-42N*</b> | <b>8721352921127</b> | <b>42 N/mm*</b> | <b>HONDA</b>        |
| MX 64-66-240-44N         | 8721352921134        | 44 N/mm         | - CRF 250R (≥ 2015) |
| MX 64-66-240-46N         | 8721352921141        | 46 N/mm         | - CRF 450R (≥ 2016) |
| MX 64-66-240-48N         | 8721352921158        | 48 N/mm         | - CRF 450X (≥ 2018) |
| MX 64-66-240-50N         | 8721352921165        | 50 N/mm         | <b>SUZUKI</b>       |
| MX 64-66-240-52N         | 8721352921172        | 52 N/mm         | - RMZ 250 (≥ 2019)  |
| MX 64-66-240-54N         | 8721352921189        | 54 N/mm         | - RMZ 450 (≥ 2018)  |
| MX 64-66-240-56N         | 8721352921196        | 56 N/mm         | <b>TRIUMPH</b>      |
| MX 64-66-240-58N         | 8721352921202        | 58 N/mm         | - TF 250-X (≥ 2024) |
| MX 64-66-240-60N         | 8721352921219        | 60 N/mm         | - TF 250E (2026)    |
| MX 64-66-240-62N         | 8721352921226        | 62 N/mm         | - TF 450-X (≥ 2025) |
| MX 64-66-240-64N         | 8721352921233        | 64 N/mm         | - TF 450E (2026)    |

### MX-Springs BV

POSTADRES: Buitenweg 238, 3602 ZH Maarssen  
 AFLEVERADRES: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 KVK: 97238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 MAIL: [Info@mx-springs.com](mailto:Info@mx-springs.com)

## MX Springs – Shock Absorber Springs

| SKU | GTIN | Strength | Fits |
|-----|------|----------|------|
|-----|------|----------|------|

\*Available on request only (contact us for ordering / minimum quantity applies)

|                  |               |         |                                   |
|------------------|---------------|---------|-----------------------------------|
| MX 64-66-260-44N | 8721352921295 | 44 N/mm | <b>HONDA</b>                      |
| MX 64-66-260-46N | 8721352921301 | 46 N/mm | - CR 250R (2001-2007)             |
| MX 64-66-260-48N | 8721352921318 | 48 N/mm | - CRF 250R (2004-2014)            |
| MX 64-66-260-50N | 8721352921325 | 50 N/mm | - CRF 450R (2002-2015)            |
| MX 64-66-260-52N | 8721352921332 | 52 N/mm | - CRF 450X (2010-2017)            |
| MX 64-66-260-54N | 8721352921349 | 54 N/mm | <b>SHERCO</b>                     |
| MX 64-66-260-56N | 8721352921356 | 56 N/mm | - SC 250 FACTORY (2019-2020)      |
| MX 64-66-260-58N | 8721352921363 | 58 N/mm | - SC 300 FACTORY (≥ 2019)         |
| MX 64-66-260-60N | 8721352921370 | 60 N/mm | - SC-F 250 FACTORY (2019-2020)    |
| MX 64-66-260-62N | 8721352921387 | 62 N/mm | - SCF 300 FACTORY (≥ 2019)        |
| MX 64-66-260-64N | 8721352921394 | 64 N/mm | - SCF 450 FACTORY (≥ 2019)        |
|                  |               |         | - SCF 500 FACTORY (2019-2020)     |
|                  |               |         | - SE 125 FACTORY (≥ 2019)         |
|                  |               |         | - SE 250 FACTORY (≥ 2019)         |
|                  |               |         | - SE 300 FACTORY (≥ 2019)         |
|                  |               |         | - SEF 250 FACTORY (≥ 2019)        |
|                  |               |         | - SEF 450 ISDE RACING (2019-2023) |
|                  |               |         | - SEF 500 FACTORY (2019-2020)     |
|                  |               |         | <b>STARK</b>                      |
|                  |               |         | - VARG EX (≥ 2024)                |
|                  |               |         | - VARG MX (≥ 2024)                |
|                  |               |         | <b>SUZUKI</b>                     |
|                  |               |         | - RM 125 (2004-2009)              |
|                  |               |         | - RM 250 (2004-2009)              |
|                  |               |         | - RMZ 250 (2007-2018)             |
|                  |               |         | - RMZ 450 (2005-2017)             |

### MX-Springs BV

POSTADRES: Buitenweg 238, 3602 ZH Maarssen  
 AFLEVERADRES: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 KVK: 97238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 MAIL: [Info@mx-springs.com](mailto:Info@mx-springs.com)

## MX Springs – Shock Absorber Springs

| SKU | GTIN | Strength | Fits |
|-----|------|----------|------|
|-----|------|----------|------|

\*Available on request only (contact us for ordering / minimum quantity applies)

|              |  |  |                       |
|--------------|--|--|-----------------------|
| MX 64-66-260 |  |  | <b>YAMAHA</b>         |
|              |  |  | - WR 450F (2016-2018) |
|              |  |  | - YZF 250 (2014-2018) |
|              |  |  | - YZF 450 (2010-2017) |

|                   |               |          |                    |
|-------------------|---------------|----------|--------------------|
| MX 64-66-275-40N* | 8721352921400 | 40 N/mm* | <b>YAMAHA</b>      |
| MX 64-66-275-42N* | 8721352921417 | 42 N/mm* | - WR 250F (≥ 2019) |
| MX 64-66-275-44N  | 8721352921424 | 44 N/mm  | - WR 450F (≥ 2019) |
| MX 64-66-275-46N  | 8721352921431 | 46 N/mm  | - YZF 250 (≥ 2019) |
| MX 64-66-275-48N  | 8721352921448 | 48 N/mm  | - YZF 450 (≥ 2018) |
| MX 64-66-275-50N  | 8721352921455 | 50 N/mm  |                    |
| MX 64-66-275-52N  | 8721352921462 | 52 N/mm  |                    |
| MX 64-66-275-54N  | 8721352921479 | 54 N/mm  |                    |
| MX 64-66-275-56N  | 8721352921486 | 56 N/mm  |                    |
| MX 64-66-275-58N  | 8721352921493 | 58 N/mm  |                    |
| MX 64-66-275-60N  | 8721352921509 | 60 N/mm  |                    |
| MX 64-66-275-62N  | 8721352921516 | 62 N/mm  |                    |
| MX 64-66-275-64N  | 8721352921523 | 64 N/mm  |                    |
| MX 64-66-275-66N  | 8721352921530 | 66 N/mm  |                    |

### MX-Springs BV

POSTADRES: Buitenweg 238, 3602 ZH Maarssen  
 AFLEVERADRES: Herenweg 21C, 3602 AM Maarssen  
 WEBSITE: [www.mx-springs.com](http://www.mx-springs.com)

IBAN: NL53ABNA0144435322  
 KVK: 97238759  
 BTW: NL867964169B01

CONTACT: Arno Broekman  
 TEL: +31654331031  
 MAIL: [Info@mx-springs.com](mailto:Info@mx-springs.com)